

# **HMT 8203**

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : HMT 8203

:

Manufacturer or supplier's details

Company : Hot Melt Technologies, Inc.

1723 W Hamlin Road

Address : Rochester Hills, MI 48309

Telephone : 248-853-2011

#### Recommended use of the chemical and restrictions on use

Recommended use : Hot melt adhesive

Restrictions on use : For industrial use only.

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

Appearance	Solid form	
Color	black	
Odor	odorless	

#### **GHS Classification**

Not a hazardous substance or mixture.

## **GHS** label elements

Not a hazardous substance or mixture.

#### **Potential Health Effects**

Inhalation : Vapors/fumes may be irritating at application temperatures.

Skin : Contact with hot product will cause thermal burns.

Aggravated Medical

Condition

: None known.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

6/11/2025

# **HMT 8203**

equal to 0.1% is on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
calcium carbonate	471-34-1	30 - 50
zinc oxide	1314-13-2	1 - 5

## **SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Cool melted product on skin with plenty of water. Do not

remove solidified product.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If swallowed : Do not induce vomiting. Seek medical attention if symptoms

develop. Provide medical care provider with this SDS.

Notes to physician : Use mineral oil to soften and loosen product for removal.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: Do NOT use water jet.

Specific hazards during fire

fighting

: Burning produces irritant fumes.

Special protective equipment

for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

# **HMT 8203**

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up

: Allow to solidify.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid breathing vapors/fumes of heated product. Prevent

contact with molten product.

Conditions for safe storage : Keep in a dry, cool place.

Materials to avoid : No special restrictions on storage with other products.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium carbonate	471-34-1	PEL (Total dust)	10 mg/m3	CAL PEL
		PEL (respirable dust fraction)	5 mg/m3	CAL PEL
zinc oxide	1314-13-2	TWA (Respirable fraction)	2 mg/m3	ACGIH
		STEL (Respirable fraction)	10 mg/m3	ACGIH
		TWA (Fumes)	5 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total)	10 mg/m3	OSHA P0
		TWA (Respirable fraction)	5 mg/m3	OSHA P0
		TWA	5 mg/m3	OSHA P0
		STEL	10 mg/m3	OSHA P0
		TWA (Total dust)	10 mg/m3	OSHA P0

3

# **HMT 8203**

	A 5 mg/m3 OSHA P0 spirable st fraction)
TW. (Fu	A 5 mg/m3 OSHA P0 mes)
STE (Fu	EL 10 mg/m3 OSHA P0 mes)

**Engineering measures** : At the application temperature, use of local exhaust over the

premelting reservoir is encouraged.

Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Filter type : Particulates type

Hand protection

Material : Protective gloves

Remarks : When handling hot material, use heat resistant gloves.

Eye protection : Safety glasses

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Solid form Color : black Odor : odorless

Odor Threshold : No data available Boiling point/boiling range : not determined

Flash point : > 590 °F
Evaporation rate : not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : Upper flammability limit

not determined

Lower explosion limit : Lower flammability limit

not determined

Relative vapor density : not determined

Density : 1.17 - 1.20 g/cm3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : not determined

Thermal decomposition : 200 °C

# **HMT 8203**

Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke). To avoid thermal decomposition, do

not overheat.

Viscosity

Viscosity, kinematic : Not applicable

Solid Content, % by weight: : 100 VOC, % by weight : 0

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : The product is chemically stable.

Possibility of hazardous

reactions

Hazardous decomposition

products

: Hazardous polymerization does not occur.

: Stable under normal conditions.

Thermal decomposition can lead to release of irritating gases

and vapors.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

## **HMT 8203**

## **Aspiration toxicity**

No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

No data available

Persistence and degradability

No data available

**Bioaccumulative potential** 

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : To the best of our knowledge, this product does not meet the

definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities

for more restrictive requirements.

The hazard and precautionary statements displayed on the

label also apply to any residues left in the container.

## **SECTION 14. TRANSPORT INFORMATION**

## Special precautions for user

Remarks : Not dangerous goods

## **Domestic regulation**

49 CFR

Not regulated as a dangerous good

## **International Regulations**

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

## **HMT 8203**

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section 302

EHS TPO.

**SARA 313** : The following components are subject to reporting levels established

by SARA Title III, Section 313:

zinc oxide 1314-13-2 zinc distearate 557-05-1

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

## **US State Regulations**

California Prop 65 Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:

TSCA On TSCA Inventory

DSL All components of this product are on the Canadian DSL

Not in compliance with the inventory Not in compliance with the inventory


Not in compliance with the inventory

**Inventories Legend**TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

# **HMT 8203**

## **SECTION 16. OTHER INFORMATION**

#### **Further information**



Special hazard.

## HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

DISCLAIMER - The warranty, as stated above, supersedes all other warranties, express or implied. Hot Melt Technologies expressly disclaims any other warranties, including warranties of merchantability and fitness for a particular purpose. Hot Melt Technologies' acceptance of purchaser's order for this product is expressly conditional on purchaser's assent to terms and conditions set forth herein. Regardless of whether Hot Melt Technologies suggested the product or developed the product at the purchaser's request, it is the purchaser's responsibility to test and determine the suitability of the product for the purchaser's intended use and purpose, and purchaser assumes all risk and liability whatsoever.

We believe the information included on this Material Safety Data Sheet to be correct, to the best of our knowledge. The recommendations and suggestions herein are made without guarantee or representation as to results. We recommend that tests be made in a laboratory or plant to determine if this product meets all of your requirements. It is the responsibility of the buyer/user to determine the suitability of this product for his/her application/requirements.